



PRINCIPALS

AMELA BRUDAR

PAUL GOODWIN ARCHITECT AIBC, RAIC, LEED AP GBL ARCHITECTS

139 East 8th Avenue Vancouver BC

Tel: 604 736 1156
Fax: 604 731 5279
Email: chuytable@gblarchitects.com

Copyright Reserved. This drawing and sign are, and at all times remain, the operty of GBL Architects, and can be produced only with written consent. This awing must not be scaled. Contractors

reproduced only with written consent. This drawing must not be scaled. Contractors shall verify all dimensions prior to commencement of work, and any omissions or discrepancies shall be reported to the


VEL 35 (MECH /ROOF)


Date:
Scale:

10/09/2019 /16" = 1'-0"

4-01.14

10/21/2019 3:36:14 PM





THRESHOLD SHALL BE DESIGNED AND CONSTRUCTED IN A MANNER THAT IS WHEELCHAIR ACCESSIBLE, WHILE MAINTAINING THE INTEGRITY OF THE BUILDING ENVELOPE SINGLE BED 2 BED NON-MARKET ADAPTABLE 699.79 SF ACCOMMODATE FUTURE INSTALLATION OF GRAB BARS E 800 mm CONTINUOUS COUNTER — (양 DOUBLE BED THRESHOLD SHALL BE DESIGNED AND CONSTRUCTED IN A MANNER THAT IS WHEELCHAIR ACCESSIBLE, WHILE MAINTAINING THE INTEGRITY COF THE BUILDING ENVELOPE ALL ADAPTABLE UNITS:

LEVEL 1 (2 BED ADAPTABLE UNITS)


ELECTRICAL, TELEPHONE CABLE AND DATA OUTLEDS SHALL BE

SWITCHES AND CONTROLS SHAELL BE LOCATED BETWEEN 900NN (3.0 FT) AND 1200MM (4.0 FT.) ABOVE THE FLOOR, AND OPERABLE WITH A CLOSED FIST

LOCATED 455MM (1.5FT) AND 1200

MM (4.0 FT) ABOVER THE FLOOR

FAUCETS SHALL BE DESIGNED TO BE OPERABLE WITHOUT GRASPING, PIMCHING OR TWISTING OF THE



LEVEL 1 (STUDIO ADAPTABLE UNITS)

1/4" = 1'-0"

ELECTRICAL, TELEPHONE CABLE AND DATA OUTLEDS SHALL BE LOCATED 455MM (1.5FT) AND 1200

MM (4.0 FT) ABOVER THE FLOOR

SWITCHES AND CONTROLS SHAELL BE LOCATED BETWEEN 900NN (3.0 FT) AND 1200MM (4.0 FT.) ABOVE THE FLOOR, AND OPERABLE WITH A CLOSED FIST

FAUCETS SHALL BE DESIGNED TO BE OPERABLE WITHOUT GRASPING, PIMCHING OR TWISTING OF THE

